



Mike DeWine, Governor
Jon Husted, Lt. Governor
Laurie A. Stevenson, Director

March 11, 2020

Mayor John Estep
Village of St. Bernard
110 Washington Avenue
St. Bernard, Ohio 45217

Re: St. Bernard Landfill
Plan
Approval
Municipal Solid Waste Landfills
Hamilton County
MSWL019848

**Subject: Explosive Gas Monitoring Plan Alteration
Concurrence**

Dear Mayor Estep:

I am writing to you regarding the Ohio Environmental Protection Agency's (Ohio EPA) review of the document titled "Explosive Gas Monitoring Plan, St. Bernard Landfill" (EGMP), dated February 4, 2020. SCS Engineers (SCS) prepared the EGMP on behalf of the village of St. Bernard, for St. Bernard Landfill (Facility), located at Bank Avenue & Phillips Avenue, Hamilton, Ohio.

Specifically, SCS requested the following:


- change the explosive gas monitoring frequency from quarterly to semi-annual
- removal of language referencing the 2009 Director's Final Findings and Orders
- changes to the explosive gas threshold level of the combustible gas indicator alarms to match current rules
- removal of the two storm sewer drop inlet monitoring points

Ohio EPA concurs with the revised EGMP as described in the submitted document, replacing the existing EGMP.

St. Bernard Landfill
MSWL019848
March 11, 2020
Page 2 of 2

If you have any questions, please contact me at (937) 285-6048 or at
Dylan.Dyer@epa.ohio.gov.

Sincerely,



Dylan Dyer
Environmental Specialist II
Division of Materials and Waste Management

Authorized by:



Maria Lammers, Supervisor

cc: Chuck DeJonckheere, Environmental Health Director, Hamilton County Public
Health
Randall Mills, SCS Engineers

DD/tp

EXPLOSIVE GAS MONITORING PLAN ST. BERNARD LANDFILL

Presented To:

Village of St. Bernard



110 Washington Avenue
St. Bernard, Ohio 45217
(513) 242-7770

Presented By:

SCS Engineers
2060 Reading Road, Suite 200
Cincinnati, OH 45202
(513) 421-5353

Revised February 2020
File No. 23212007.02

